

IXI SNG + FLY PACK

SMART TRANSMISSION



IXI SNG + FLY PACK

SMART TRANSMISSION

SPÉCIFICITÉS TECHNIQUES

PRODUCTION

- Table de mixage analogique
- 2 Passerelles 2W GSM
- 2 Inserts RTC
- Précâblage pour Codec RNIS
- Système intercom Prospect K6R
- 1 ou 2 caméras Stand-up
- P2 / KiPro recorder



IXI 5 – F495

Lengths : 5.80 m **Widths :** 2.40 m **Height :** 2.95 m

Mercedes Sprinter DJ-340-AB - Location : Paris (75)



Captation monocaméra



Swedish 1,50m antenna
180W phased combined Stellar HPA
2+1 ATEME CM5000 encoders
2 ATEME DR5000 IRD



32ATri P+N
Fisher Panda Power Generator



IXI 6 – F224

Lengths : 5.70 m **Widths :** 1.84 m **Height :** 2.50 m

Volkswagen Transport DF-929-KH - Location : Toulouse (31)



Captation monocaméra



Advent 1,50m antenna
180W 1+1 Stellar HPA
2+1 ATEME CM5000 encoders
2 ATEME DR5000 IRD



32A Mono P17
Fisher Panda Power Generator



IXI 7 – F169

Lengths : 5.20 m **Widths :** 1.85 m **Height :** 2.50 m

Renault Trafic FC-503-DE - Location : La Rochelle (17)



Captation monocaméra



Continental MW 1,50m antenna
180W 1+1 Stellar HPA
2+1 ATEME CM5000 encoders
2 ATEME DR5000 IRD



32A Mono P17
Fisher Panda Power Generator

OPTIONS

SEGMENT SPATIAL

SNG FEED

FIBRE

LIVE STREAMING

MCPC/H.265

FLY SNG

SPÉCIFICITÉS TECHNIQUES


PRODUCTION

KU FLY PACK - F-146

- Gigaset FA 180
- 1,80m motorized antenna
- Assembled in less than 10 minutes
- 200W 1+1 Advantech SSPA Ku-Band
- 2+1 ATEME CM5000 encoders with Teamcast modulators
- 2 ATEME DR5000 IRD
- Location : Paris
- 16 amp
- 2 cases for antenna, and 7 cases for equipments, tools and wiring
- Our 1,80m motorized antenna is conceived to provide you a reliable and strong transmitting solution where you need it

KA IP FLYPACK

- 1m antenna
- Eutelsat compliant
- 6Mbits symetric link non guaranteed link
- Dedicated bandwidth on News Spotter available on request



OPTIONS

SEGMENT SPATIAL

SNG FEED

FIBRE

LIVE STREAMING